

Description: MULTI BAND SWIVEL MOUNT DIPOLE

698-960&1447-1510&1710-2690MHz

PART NUMBER: W5095X

Series: Blade Antenna



Features:

- 698-2690MHz
- Gain 1-2.5dBi
- IP65
- Total length 229mm (straight)
- Total length 197.5mm (bent)
- Width 30.5mm
- Connector options:
 - W5095 TNC male
 - W5095K SMA male

Applications:

- LTE radios
- 2G/3G/4G radios
- Gateways, set top boxes, security
- Optimized for straight and 90deg bent positions

Issue: 1643

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: MULTI BAND SWIVEL MOUNT DIPOLE

698-960&1447-1510&1710-2690MHz

Series: Blade Antenna

PART NUMBER: W5095X

ELECTRICAL SPECIFICATIONS			
Frequency	698-960/1400-2690	GHz	
	50	Ω	
Nominal Impedance		52	
VSWR	2.5:1		
Gain (698-960MHz)	1.0	dBi+/- 1dB	
Gain (1400-2170MHz)	1.07	dBi+/- 1dB	
Gain (2300-2500MHz))	1.48	dBi+/- 1dB	
Gain (2500-2690MHz))	2.16	dBi+/- 1dB	
Average Efficiency(698-960MHz)	60	%	
Average Efficiency(1400-2170MHz)	65	%	
Average Efficiency(2300-2500MHz)	70	%	
Average Efficiency(2500-2690MHz)	85	%	
Horizontal Plane	OMNI		
Polarization	Vertical		
Power withstanding	3	W	
Connector type	TNC male (SMA male	e (SMA male is optional)	
Connector Options	W5095 TNC male	TNC male connector	

W5095K SMA male connector



Description: MULTI BAND SWIVEL MOUNT DIPOLE

698-960&1447-1510&1710-2690MHz

Series: Blade Antenna

PART NUMBER: W5095X

MECHANICAL SPECIFICATIONS

Plastic radome ABS/PC

Color Black

Flammability UL94-V0

Ingress Protection IP65

Weight 50 g

Wind-loading 100 mph

Overall Length 9[229] INCHES[mm]

Position 0°, 45° & 90°

ENVIRONMENTAL SPECIFICATIONS

Operating temperature -40/+85 ° C

Storage Temperature -40/+85 ° C

Salt mist 96 hours



Description: MULTI BAND SWIVEL MOUNT DIPOLE


698-960&1447-1510&1710-2690MHz

Series: Blade Antenna


PART NUMBER: W5095X

MECHANICAL DRAWING

W5095 TNC male connector



W5095K SMA male connector



Issue: 1643



TECHNICAL DATA SHEET

Description: MULTI BAND SWIVEL MOUNT DIPOLE


698-960&1447-1510&1710-2690MHz

PART NUMBER: W5095X

OTHER SPECIFICATIONS

VSWR

Efficiency vs Frequency measured in free space W5095 measured in PSU









TECHNICAL DATA SHEET

Description: MULTI BAND SWIVEL MOUNT DIPOLE


698-960&1447-1510&1710-2690MHz

PART NUMBER: W5095X

CHARTS

Efficiency

Efficiency vs Frequency measured in free space W5095 measured in PSU



Straight ——Right angle





TECHNICAL DATA SHEET

Description: MULTI BAND SWIVEL MOUNT DIPOLE


698-960&1447-1510&1710-2690MHz

PART NUMBER: W5095X

CHARTS

Peak Gain

Peak Gain vs Frequency measured in free space W5095 measured in PSU



·Straight ——Right angle








Description: MULTI BAND SWIVEL MOUNT DIPOLE 698-960&1447-1510&1710-2690MHz

PART NUMBER: W5095X

Series: Blade Antenna

CHARTS








Description: MULTI BAND SWIVEL MOUNT DIPOLE 698-960&1447-1510&1710-2690MHz

PART NUMBER: W5095X

Series: Blade Antenna

CHARTS






Description: MULTI BAND SWIVEL MOUNT DIPOLE 698-960&1447-1510&1710-2690MHz

PART NUMBER: W5095X

Series: Blade Antenna

CHARTS



Issue: 1643

ROHS




TECHNICAL DATA SHEET

Description: MULTI BAND SWIVEL MOUNT DIPOLE 698-960&1447-1510&1710-2690MHz

PART NUMBER: W5095X

CHARTS



Issue: 1643






Description: MULTI BAND SWIVEL MOUNT DIPOLE

698-960&1447-1510&1710-2690MHz

PART NUMBER: W5095X

Series: Blade Antenna

CHARTS



Issue: 1643




Description: MULTI BAND SWIVEL MOUNT DIPOLE 698-960&1447-1510&1710-2690MHz

PART NUMBER: W5095X

Series: Blade Antenna

CHARTS



Issue: 1643

ROHS

13



TECHNICAL DATA SHEET

Description: MULTI BAND SWIVEL MOUNT DIPOLE

698-960&1447-1510&1710-2690MHz

PART NUMBER: W5095X

PACKAGING

1PCS/PE bag 100PCS/Carton box



